

Page 11

Comparative statements for supply of Electrical Items for FY 2022-2023

Item No	Description of Item	Unit	Qty.	WOEZE R.K. ENTER PRIZE	THINLE ENTER NORBU ENTER	NEWAR ENTER PRIZE	SONAM ENTER RISE	Sherab Enterprise Private	AGAR WAL TRADI	SANG AY SALES	SAMLIN G ENTER PRIZE	Robin Enterprise	SANGAY TRADING
1	Power cable 2-core armoured aluminium (Havells/Anchor/Finox)	q	1									285	
2	a) 6sq.mm	mtrs	1	180						192	90	220	
3	b) 10sqmm	mtrs	1	200	140	198	195	139		193	220	223	175
4	c) 16sq.mm	mtrs	1	230	184	225	225	174		219	230	249	205
5	d) 2 core unarmoured 8 Sq.mm Al. cable 100mtr with drum	drum	1	15000						7500	3500	19800	
6	Power cable 2-core armoured copper (Havells/Anchor/Finox)	q	1									1219	
7	a) 8 sq.mm	mtrs	1	550							400	477	
8	b) 10sqmm	mtrs	1	600	484						500	584	
9	c) 16sq.mm	mtrs	1	750	689						550	764	
10	d) 2 core unarmoured 8 Sq.mm Copper cable 100mtr with drum	drum	1	450							25000	474	
11	Power cable 4-core armoured aluminium (Havells/Anchor/Finox)	q	1										
12	a) 10 sq.mm	mtrs	1	250	229	255	255			248	190	274	235
13	b) 16sq.mm	mtrs	1	275	249	302	295	243		294		334	275
14	c) 25sq.mm	mtrs	1	360	339	394	390			384	330	439	365
15	d) 35sq.mm	mtrs	1	500	424	517	510			503	355	574	465
16	e) 50sq.mm	mtrs	1	590	549	688	685			670	500	758	619
17	f) 75sq.mm	mtrs	1		729		925			1105	650	1034	832
18	g) 95sq.mm	mtrs	1	1000	894	1134	1130			1105	750	1259	1020
19	h) 120sq.mm	mtrs	1	1500	1139	1394	1385			1359	900	1489	

20	j) 150sq.mm	mtrs	1	1650	1389	1687	1685				1645	1400	1710
21	j) 225sq.mm	mtrs	1	2800							2588	1500	2740
22	Power cable 3-core armoured aluminium (Havells/Anchor/Fin olex)	q	1										
23	a) 10 sq.mm	mtrs	1	250		237		189					
24	b) 16sq.mm	mtrs	1	280		245		243				264	212
25	c) 25sq.mm	mtrs	1	300		319		295				269	220
26	d) 35sq.mm	mtrs	1	400	349	414						414	255
27	e) 50sq.mm	mtrs	1	500		543		473				506	370
28	Power cable 3-core armoured Copper (Havells/Anchor/Finolex)	q	1									859	490
29	a) 10 sq.mm	mtrs	1	750				899					
30	b) 16sq.mm	mtrs	1	1200				1890				789	
31	c) 25sq.mm	mtrs	1	1800				2580				1139	
32	d) 35sq.mm	mtrs	1	2500				3200				1737	
33	e) 50sq.mm	mtrs	1	3500				4700				2579	
34	Power cable 4-core armoured Copper (Havells/Anchor/Finolex)	q	1									3149	
35	a) 10 sq.mm	mtrs	1	1000				1340					
36	b) 16sq.mm	mtrs	1	1600				2890				987	
37	c) 25sq.mm	mtrs	1	2500				3490				1400	
38	d) 35sq.mm	mtrs	1	3200	2648			4590				2204	
39	Power cable 2-core un- armoured aluminium (Havells/Anchor/Fin olex)	q	1					5500					
40	a) 6sq.mm	mtrs	1	120	79	100					93	80	184
41	b) 8 sq.mm	mtrs	1	150							132	80	
42	c) 10sqmm	mtrs	1	200	94	141					132	100	223
43	d) 16sq.mm	q	1	220	124	154					144	150	249



72	d) 4 sq. mm	roll	1	5500	5499	4801	5250				4260	3800		8560
73	e) 6sq. mm	roll	1	9500	7549	7262	7840	6200			6080			9800
74	f) 8sq. mm	mtr	1									6000		
75	g) 10 sq. mm	mtr	1	13500				9890			11539	10000		140
76	h) 0.75 sq. mm flexible wire	mtr	1	1350	24		15	680			865	2500		1410
77	Telephone wire of copper (Havells)	q	1											
78	a) 2 pair	mtrs	1	75				780						
79	b) 5 pair	mtrs	1	180				2190						
80	c) 20 pair	mtrs	1	950				5690						
81	d) 50 pair	mtrs	1	1500				11900						
82	e) 100 pair	mtrs	1	3500				23900						
83	f) Internet wire copper CAT-6 (RJ-45 cable with cat-6 & jack set)	mtrs	1	150										
84	f) Internet wire copper CAT-6 only	mtrs	1	250		21								
85	g) RJ-45 jack	each	1	95										
86	Flat type or round aluminium alloy thimble/lug	q	1											
87	a) 10 sq. mm	each	1	10	12	10	10	7			10			
88	b) 16sq. mm	each	1	13	14	10	12	8.5			10			
89	c) 25sq. mm	each	1	18	19	15	15	13			15			
90	d) 35sq. mm	each	1	25	24	20		18			20			
91	e) 50sq. mm	each	1	45	29	25		27			25	20		
92	f) 70sq. mm	each	1	65	44	35		37			30			
93	g) 95sq. mm	each	1	85	79	45	30	44			40			
94	h) 120sq. mm	each	1	90	99	50		57			48	40		
95	i) 150sq. mm	each	1	100	118	65		66			65	150		
96	j) 300sq. mm	each	1	240	299	150		128			150	140		
97	k) 400 Sq. mm	each	1	320	349	235		190			235	200		
98	C. I Route Marker, 150x100x6mm	each	1	35000				220					487	
99	M.S Conduit	q	1											



100	a) 20mm	pcs	1	280	379	280	264		239		
101	b) 25mm	pcs	1	320	479	300	380	359			
102	c) 32mm	pcs	1		1299						
103	d) 40mm	pcs	1		1949						
104	e) 50mm	pcs	1		2949						
105	M.S junction box/ways 1,2,3&4 way of all Size	each	1	40	49	35	45		35		
106	M.S inspection bends,tee elbow of all size	each	1	40	49	35	55		45		
107	M.S socket of all size	each	1	2500				33			
108	PVC Conduit (Bardia/Harson) etc	q	1								
109	a) 20mm	pcs	1	80	89	75	95		63		
110	b) 25mm	pcs	1	120	124	95	120		89		
111	c) 32mm	pcs	1	550							
112	d) 40mm	pcs	1	650							
113	e) 50mm	pcs	1	680							
114	f) PVC junction box/ways 1,2,3&4 way of all Size (Bardia)	each	1		24		15	17	28		
115	g) PVC inspection bends,tee elbow of all size (Bardia)	each	1		24		7	17	28		
116	HDPE pipe( Druk polythene)	q	1								
117	a) 20mm (8 PN)	mtrs	1	28	34	30.6	31	31.17	32.5		
118	b) 25mm (8 PN)	mtrs	1	37	44	40	42	40.8	42.5		
119	c) 32mm (8 PN)	mtrs	1	50	54	54.2	55	60.1	58.5		
120	d) 40mm (8 PN)	mtrs	1	69	74	73.8	75	75.9	72.5		
121	e) 50mm (8 PN)	mtrs	1	165	174	177	185	180.4	159.5		
122	PVC capping & capping(Harson/Bardia/Ajanta) etc	q	1								
123	a) 15x10mm	pcs	1	80		65	70		75	65	
124	b) 20x10mm	pcs	1	90		70	70		65	60	75
125	c) 20x12mm	pcs	1	95	89	73	70		65	90	85

128	d) 25x10mm	pcs	1	95	94	75	75	87			72	90		
127	e) 30x10mm	pcs	1	130	99	80	80	93			92	95		
126	f) 40x10mm	pcs	1	180	129	110	110	133			181	93		
125	f) Casing tee, corner elbow, 2-ways/3-ways, 4 ways/ of all size/all ways (Ajanta)	each	1	10	19	7	5	44			11	10		11
130	g) PVC saddle( 20mm/25mm dia.)	pkt	1	350	349	720	250	187			435			
131	Aluminium screw	q	1					85						
132	screw (5")	pkt	1	1500				203						
133	i) screw 4"	pkt	1	1300	299			449						
134	j) screw 3"	pkt	1	1200	249			649						
135	k) screw 2"	pkt	1	1100	149			649						
136	l) screw (1")	pkt	1	1100			80	449						
137	m) PVC screw log	pkt	1		79		45	79						
138	Gypsum/Dry Wall screw	q	1					193						
139	screw (5")	pkt	1	850				796						495
140	i) screw 4"	pkt	1	580	749	418	550	645						495
141	j) screw 3"	pkt	1	450	749	418	550	645						495
142	k) screw 2"	pkt	1	450	649	418	430	645						495
143	l) screw (1")	pkt	1	450	649	418	430	645						495
144	m) nail 1"	kg	1	95	99	95	95				91.5			95
145	n) nail 2"	kg	1	95	99	95	95				91.5			95
146	o) nail 3"	kg	1	92	99	95	88				87			95
147	p) nail 4"	kg	1	92	99	95	88				87			95
148	PVC box with shutter/cover (Legrand, gold medal, roma)	q	1											
149	a) 86x86x40mm	each	1				8	220						
150	b) 86x146x40mm	each	1				30	321						
151	MS Modular Gang Box with shutter/cover/plate (Legrand, Gold medal, Roma including plate & shutter-sets)	q	1											

Page No. 12

152	a) 1 way	each	1	55	179	139	135	63			122		
153	b) 2 way	each	1		199	139	135	63			122		
154	c) 3 way	each	1		489	183	170	93			162		
155	d) 4 way	each	1		599	215	180	130			191		
156	e) 5 way	each	1					155					
157	f) 6 way	each	1		724	264	245	199			257		
158	g) 7 way	each	1					160					
159	h) 8 way	each	1		949	364	320	245			328		
160	i) 10 way	each	1		1179			245					
161	j) 12 way	each	1		2229	450	400	329			407		
162	Wooden box(mica top cover)	q	1										
163	a) 75x75x38mm	each	1										
164	b) 75x100x38mm	each	1										
165	c) 100x150x38mm	each	1										
166	d) 150x180x38mm	each	1										
167	e) 100x200x38mm	each	1										
168	M.S box	q	1										
169	a) 75x75x38mm	each	1		79								
170	b) 75x100x38mm	each	1		94								
171	c) 100x150x38mm	each	1		124								
172	d) 150x180x38mm	each	1		149								
173	e) 100x200x38mm	each	1		199								
174	PVC Modular Gang Box with shutter/cover/plate/MS/fibre/plastic (Legrand/Gold medal) including plate & shutter-sets)	q	1										
175	a) 1 way	each	1		54		135	47			122		
176	b) 2 way	each	1		54		135	47			122		35
177	c) 3 way	each	1		84		170	59			155		40
178	d) 4 way	each	1		79		180	77			176		45
179	e) 5 way	each	1					87					55

Page 7 of 28

180	f) 6 way	each	1		94		245	97			240			
181	g) 7 way	each	1					97						
182	h) 8 way	each	1		114		320	119			314			
183	i) 10 way	each	1		139			144						
184	j) 12 way	each	1		159		400	179			392			
185	Copper busbar with chamber(Havells)	q	1											
186	a) 4 strip, 300mm bar, 100A	each	1	7500	5949	5502	5400	15900			8116			
187	b) 4strip, 300mm bar, 200A	each	1	8500	6799	7176	7100	17900			10152			
188	c) 4strip, 450mm bar, 100A	each	1	7500	6499	5502	5400	17900			8116			
189	d) 4 strip, 450mm bar, 200A	each	1	8500	7699	7176	7100	19900			10152			
190	e) 4 strip, 600mm bar, 100A	each	1	7800		7802	7700	21000			11235			
191	f) 4strip, 600mm bar, 200A	each	1	9000		10010	9900	22000			13140			
192	g) 4strip, 600mm bar, 300A	each	1	16500		17002	12800	24600			27208			
193	Aluminium alloy/busbar with chamber(Havells)	q	1											
194	a) 4 strip, 600mm bar, 300A	each	1	13500										
195	b) 4strip, 600mm bar, 400A	each	1	16500										
196	c) 4strip, 600mm bar, 600A	each	1	25000				27900						
197	d) 4 strip, 900mm bar, 600A	each	1	26000				31900						
198	e) 4 strip, 900mm bar, 800A	each	1	29000				47900						
199	f) 4strip, 1350mm bar, 600A	each	1	75000				58900						
200	g) 4strip, 1350mm bar, 800A	each	1	75000				78900						
201	Wall mounting fuse unit sheet steel enclosure	q	1											
202	a) TPN-63A, 415V FSU	each	1	75000			4200	3900			4233			
203	b) TPN-125A, 415V, FSU	each	1	120000				9900						
204	c) TPN-200A, 415V, FSU	each	1	135000				18990			13345			
205	d) TPN-400A, 415V, FSU	each	1	175000			26600	28000						
206	e) TPN - 830A, 415V, FSU	each	1	275000				83900						
207	f) TPN-800A, 415V, FSU	each	1	320000				78900						



2



Page (10)

236	g) 40A	each	1	250	449	513		414				300	
237	h) 63A	each	1	650	529	594		489				300	
238	Single pole MCB 230V, A.C.(Legrand)	q	1										
239	a) 6A	each	1		279			157					
240	b) 10A	each	1		279			157					
241	c) 16A	each	1		279			157					
242	d) 20A	each	1		279			157					
243	e) 25A	each	1		279			157					
244	f) 32A	each	1		279			157					
245	g) 40A	each	1		479			425					
246	h) 63A	each	1		579			487					
247	Double pole MCB, 230V, A.C.(Havells)	q	1										
248	a) 6A	each	1		894	884		884					
249	b) 10A	each	1		894	884		884					
250	c) 16A	each	1		894	884		884					
251	d) 20A	each	1		894	884		884					
252	e) 25A	each	1		894	884		884					
253	f) 32A	each	1	950	894	884	645	884			883		
254	g) 40A	each	1	1250	1094	1084	1150	1084			1098		
255	h) 63A	each	1	1650	1394	1236	1290	1236			1250		
256	Double pole MCB, 230V, A.C.(Legrand)	q	1										
257	a) 6A	each	1		994			994			560		
258	b) 10A	each	1		994			994			560		
259	c) 16A	each	1		994			994			560		
260	d) 20A	each	1		994			994			560		
261	e) 25A	each	1		994			994			560		
262	f) 32A	each	1		994			994			560		
263	g) 40A	each	1		1249			963					
264	h) 63A	each	1		1499			1137					
265	TPN, MCB, 415Volt, A.C.(Havells)	q	1										

Page 11 of 28

266	a) 6A	each	1		1699	1511		677					
267	b) 10A	each	1		1699	1511		677					
268	c) 16A	each	1		1699	1511		677					
269	d) 20A	each	1		1699	1511		677					
270	e) 25A	each	1		1699	1511		677					
271	f) 32A	each	1	1950	1699	1511	1620	677		1524			
272	g) 40A	each	1	2500	1899	1977	1950	1633		1924			
273	h) 63A	each	1	2850	2449	2054	2150	1839		2218			
274	TPN, MCB, 415Volt, A.C (Legrand)	q	1										
275	a) 6A	each	1		1949					1260			
276	b) 10A	each	1		1949					1260			
277	c) 16A	each	1		1949					1260			
278	d) 20A	each	1		1949					1260			
279	e) 25A	each	1		1949					1260			
280	f) 32A	each	1		1949					1260			
281	g) 40A	each	1		2499					1785			
282	h) 63A	each	1		2899					1839			
283	Double pole/DP RCCB, 230V, A.C, 100mA, 25kA/38kA (Havells)	q	1										
284	a) 32A	each	1	3500	4799	2499		2470		2551	2260		
285	b) 40A	each	1	4200	5499	2499		2669		2551	2500		
286	c) 63A	each	1	5500	6994	3480		3300		3569	2900		
287	Double pole/DP RCCB, 230V, A.C, 100mA, 25kA/38kA (Legrand)	q	1										
288	a) 32A	each	1	5500	5409			2470					
289	b) 40A	each	1	6000	6409			2669					
290	c) 63A	each	1	7500	7949			3300					
291	4 Pole/TPNRCCB, 415V, A.C 100mA, 36kA (Legrand)	q	1										
292	e) 32A	each	1	6500							2800		

293	b) 40A	each	1	7000					2990										
294	c) 63A	each	1	7500					3460										
295	d) 100A	each	1	9500					12900										
296	4- pole/ TPN RCCB, 415V, A.C, 100mA, 36kA (Havells)	q	1																
297	a) 32A	each	1	7500	4999														
298	b) 40A	each	1	8500	5499	3201			2890										
299	c) 63A	each	1	8500	6494	3493			3460										
300	d) 100A	each	1	13500	8499				12900										
301	4- pole RCCB, 415V, A.C, 300mA 36kA (Anchor)	q	1																
302	a) 32A	each	1	8500					8500										
303	b) 40A	each	1	7500					7490										
304	c) 63A	each	1	13500					8499										
305	d) 100A	each	1	18500					29900										
306	SPN DB, 230V, A.C with metal door (Havells/Anchor)	q	1																
307	a) 2 way	each	1		189			220											
308	b) 4 way	each	1	1200	349	546	450	308											
309	c) 6 way	each	1	1500	479	630	850	453											
310	d) 8 way	each	1	2500	599	747	750												
311	e) 10 way	each	1	3000	799	864	850												
312	f) 12 way	each	1	4500	894	990	950	954											
313	g) 16 way	each	1	9500	1649	1152			1279										
314	h) 18 way	each	1	12500	2249				1445										
315	SPN DB, 230V, A.C with metal single/double door (Legrand)	q	1																
316	a) 2 way	each	1		249														
317	b) 4 way	each	1		449														
318	c) 6 way	each	1		629														
319	d) 8 way	each	1					791											
320	e) 10 way	each	1					1190											
321	f) 12 way	each	1					1590											



322	g) 18 way	each	1		2199			1790				3100	
323	h) 18 way	each	1					1599				3600	
324	TPN DB, 230V, A.C with metal door (Havells/Anchor)	q	1					119					
325	a) 4 way	each	1	3600	2829	2313	1790	1790			10074	2400	
326	b) 6 way	each	1	4500	3499	2671	2199	2290			12580	2800	
327	c) 8 way	each	1	7500	4299	3240	2590	2690			12580	3000	
328	d) 10 way	each	1	9500	4999			2790					
329	e) 12 way	each	1	13500	5799	4653	3653	3790			16593		
330	f) 16 way	each	1	15000	7694			4200					
331	g) 18 way	each	1	22000				4799					
332	TPN DB, 230V, A.C with metal single/double door (Legrand)	q	1					119					
333	a) 4 way	each	1	7500				1790				3900	
334	b) 6 way	each	1	9000				2290				4500	
335	c) 8 way	each	1	10500				2690				5000	
336	d) 10 way	each	1	13500				2790				7000	
337	e) 12 way	each	1	15500				3790				8000	
338	f) 16 way	each	1	18500				4200				9500	
339	g) 18 way	each	1	26800				5799				12000	
340	Panel mounting MCCB-4 pole 25KA, 415V (Havells)	q	1					119					
341	a) 63A	each	1	13500	4799	8915		6500			5769	2500	
342	b) 100A	each	1	15800	5799	8915		7900			5828	3100	
343	c) 125A	each	1	16800		10760		9700			7135	8500	
344	d) 160A	each	1	19500	7499	15309		17690			7968	1000	
345	Panel mounting MCCB-4 pole 36KA, 415V (Havells)	each	1										
346	a) 63A	each	1	15500	6499	11313		6900				2500	
347	b) 100A	each	1	18500	7499	11313		11900			6205	3100	
348	c) 125A	each	1	22500	8499	12704		21790			9304	8500	
349	d) 160A	each	1	35000	9799	18545		23900			9793	1000	

Handwritten signatures: [Signature 1] [Signature 2] [Signature 3]

375	c) 6A switch SP- 2way (Anchor Roma) 21022	each	1		129	110	100	87			134	95		
376	d) 6A switch SP- 2way with indicator (Anchor Roma) 21521	each	1		129	131					158	154		
377	e) Bell push switch (Anchor Roma) 21044	each	1			114	104	295			117	140		130
378	Switches (Legrand/Gold Medal type) module type	each	1											
379	f) 10 Amps switch	each	1		94							93		70
380	g) 20 Amps switch	each	1		129			139				105		88
381	Sockets (Legrand/Gold Medal type) Modular	q	1		239									
382	a) 2-pin type 5/6A socket	each	1					135				130		185
383	b) 3-pin 6A socket	each	1					185				150		265
384	c) 3-pin type 16/20A socket	each	1		233			215				170		295
385	d) 5 pin 16A/20A socket	each	1		230			205				105		
386	Sockets (Anchor/Kona)	q	1					183						
387	a) 2-pin 6A socket (Anchor)	each	1	120		25		27			33			
388	b) 3-pin 6A socket (Anchor)	each	1	190	179			78						
389	c) 3-pin 16A socket (Anchor)	each	1	220	179			155						
390	d) 5/6 pin 16A/20 A socket (Anchor)	each	1	250	199			164			194			
391	e) 5/6 pin, 16/20A switch/socket combined with box (Anchor)	each	1	280	229	183		184			226			
392	f) 3-pin 5/6A socket (Anchor)	each	1	190	179		110	119						
393	g) 3-pin 16A socket (Anchor)	each	1	250	179			189						
394	h) 3 pin, 5/6A plug top (Anchor/Kona)	each	1	95	199	62	85	87						
395	i) T.V socket outlet single (Anchor 21157)	each	1	350	149	117					108			135

396	j) USB (universal Service Bus) jack port (Legrand/Gold Medal)	each	1	3500				344						
397	k) Universal Multi plug, 16/20Amps (Anchor/Konga)	each	1	2100	199	170	150	170						
398	Dimmer/regulator Anchor make type	each	1	450	299	327	240	234						
399	a) Fan stop regulator Dura 100 W Anchor 22546	each	1	550	399	271						329		
400	b) Dimmer Dura 1000W, Anchor or anchor Roma 30136	each	1	1800	649	623								
401	c) TV coaxial socket	each	1	250	99	112						108		
402	d) Internet socket RJ 45 Anchor 30555	each	1	450	199	176.5								
403	e) Telephone socket RJ11 Anchor 20857	each	1	450	199	112								
404	Dimmer/regulator Legrant/Gold Medal/Roma make type	each	1	450	349									
405	a) Fan stop regulator Dura 100 W Anchor 22546	each	1	450										
406	b) Dimmer Dura 1000W, Anchor or anchor Roma 30136	each	1	1500										
407	c) TV coaxial socket	each	1	650										
408	d) Internet socket RJ 45 Anchor 30555	each	1											
409	e) Telephone socket RJ11 Anchor 20857	each	1											
410	Bulb holders/Ceiling rose/circular boxes	q	1		23									
411	f) Batten holder (Anchor)	each	1	50	49	38	35					34	30	60
412	g) Pendant holder (Anchor)	each	1	30	49	30	35					34	25	35
413	h) Angle holder (Anchor)	each	1	50	49	38	35					34	30	60
414	i) Ceiling rose/circular, 2 plate (PVC) 6A (Anchor)	each	1	25	39	26	25					25	30	



[illegible]

441	a) 300mm sweep	each	1	18500	1749								
442	b) 380mm sweep	each	1	21500	4499								
443	c) 450mm sweep	each	1	25000	6499								
444	MS Pipe for concealed wiring	q	1										
445	MS pipe 25 mm dia	pcs	1	450	479								
446	MS junction box, L/TEE/corner/ Bent/1-way, 2- ways, 3-ways, 4 ways	each	1		49								
447	Swaged street light steel tubular pole with base plate	q	1										
448	a) 8.5m, 158kg	each	1		37499			18790				48400	
449	b) 8.5m, 141Kg	each	1		33499						15000	44249	
450	c) 8.5m, 151Kg	each	1		35499						16000	47400	
451	MS/GI pole 4m, 141kg, 75mm dia	each	1		17499						13000	19400	
452	MS/GI pole 4m, 141kg, 85mm dia	each	1		18994						13000	19400	
453	MS/GI pole 4m, 141kg, 90mm dia	each	1		19994						15000	23300	
454	MS/GI pole 4.5m, 141kg, 75mm dia	each	1		17949						13000	23400	
455	MS/GI pole 4.5m, 141kg, 85mm dia	each	1		19499						13000	23400	
456	MS/GI pole 4.5m, 141kg, 90mm dia	each	1		20799						13000	26235	
457	Pole cap with arm bracket 1.1m and outer dia 50/50mm	q	1										
458	a) Single arm	each	1	18500				3890			3500	3800	
459	b) Double arm	each	1	35000				6990			4500	4400	
460	c) Triple arm	each	1	65000	4994			8900			5500		
461	d) 4 way arm	each	1	75000	6799			11790			6500		
462	MS junction box out door duty (fabricated with 14SWG MS sheet	each	1		3499						2500		
463	Earthing Plate	q	1										
464	a) G.I plate 800x600x6mm	each	1	2500	2249	2100	1550				1975	4700	2100

Page 110.111

465	b) Copper plate 600x600x3mm	each	1	10500	9899	12450	13500				13000		8700	7800
466	c) Slab earthing	each	1	2800	2499							2500		
467	d) chemical earthing	set	1	4500							14750	8000		
468	Earthing wire	q	1											
469	a) Copper earthing strip 25x4mm	mtrs	1	1500	1789	1370	690				1110		550	
470	b) G.I wire (55WG)	mtrs	1	20	49	129	15				135			
471	c) G.I wire (145WG)	mtrs	1	20	29	129	10				135			
472	d) Copper wire(65WG)	mtrs	1	150	199	1370	130				1118		89	
473	e) Copper wire(145WG)	mtrs	1	180	129	1370	110				1118		54	
474	Salt /Alphasalt/Charcoal	q	1											
475	Charcoal (25Kg/Bag)	bag	1	650	999		550	1050					1400	
476	Salt (25Kg/bag)	bag	1	950	649	625	350	445					440	
477	Alphasalt (25Kg/Bag)	bag	1		1229			3290						
478	Spike earthing/Rod earthing	q	1					2200						
479	G.I spike 1.8 m	each	1	2500				1190			2500		1120	
480	Earthing rod	each	1	3500	1249								1400	
481	Lightning arrestor with copper base plate85x3mm	q	1										5600	
482	a)25mm dia,300mm long with single prong	each	1	13500	8499								5900	
483	b)25mm dia,900mm long with four prong	each	1	18500	9499								8769	
484	Electric water heater (Venus) / Havells	q	1											
485	a) 35litres	each	1	12000	12899	10494	3000	11290			15499		17300	
486	b)50litres	each	1	14500	17499		14900	13890			18520		19325	
487	c)100 litres	each	1	24500	32499	21000	26500				32312			
488	d) 25 litres	each	1	9500	10749		8500	10890			12440		14200	
489	Recessed down lightier square 170-190mm, 1x100W(Philips)69396-36W	set	1	8500		2400								
490	Insulation Tape	q	1	15				13			15			15
491	Insulation tape	pcs	1	15	15	15		13			15			15

[illegible]



515	LED tube light sets (Havells)	q	1					120						
516	18 watt	each	1	320	499	245	320	214			223	300		400
517	20 watt	each	1	330	499	280	320				264	300		450
518	23 Watt	each	1	550	579	400						350		520
519	24watt	each	1	850	849	400						380		590
520	LED tube light sets (HPL)	q	1											
521	18 watt	each	1	285	499						223			
522	20 watt	each	1	285	499						264			
523	23Watt	each	1	650	570									
524	24watt	each	1	1200	849									
525	27Watt	each	1	2500										
526	Street lighting (sets)	q	1											
527	a) LED street lighting IP 66 100 watt (havells)	each	1	7800	8499	10800	9500	1731			7844	4500	14300	4800
528	b) High quality and durable European make LED street/flood light with high intensity and low glare with environmental safety and energy efficient water proof- 2000W reflector lamp	each	1	15800	7849			1893						
529	AC/DC Adapter	q	1					224						
530	Master adapter 6/16A	each	1		185			799					4340	
531	Timer switch/relay with all accessories(havells), 24/7 hr	q	1					121						
532	a)32A	each	1		6049			2490				3500	5700	
533	b)40A	each	1					2500					6700	
534	c) 63A	each	1					2500					8300	
535	d)100A	each	1					3500					11290	
536	e)125A	each	1					3500					14300	
537	f)160A	each	1					3500					17250	
538	Timer contactor(Havells)	q	1					125						
539	a)32A	each	1		12499			2500				3000	6700	
540	b)40A	each	1					2500				4500	8400	



Page No. 121

566	Table fan	q	1	3500	2849		2850	2450			2450		3700	2650
567	Stand fan (small) Bejei	each	1	3500	4999	2015	2900	2850			2850		4400	4250
568	Stand fan (Big) Baja	each	1	3500	4999	2015	2900	3190			2850			4550
569	Cassing pin	q	1				30	22			28			40
570	Cassing & capping pin	Pack et	1	40	34	30	30	22			28			40
571	Bulb holders (threaded type)	q	1	1500										
572	Thread type holder 250W	each	1		499	125		102						
573	Multimeter/Wrench	q	1	1800				1200						
574	a) LCD Multimeter Voltage tester (BOSCH)	set	1	45000				2850					5470	
575	Allen wrench set(BOSCH)	set	1	3500	799			215					3400	
576	Electrician hammer with rubber handle	each	1	1200	499	189		334					480	
577	Razor Balde knife(BOSCH)	each	1	8500	499			22					2340	
578	Wire Crimper(BOSCH)	each	1	3500	2499	25000		1480					225	
579	Channel lock plier(BOSCH)	set	1					1800					2700	
580	Ring spanner wrench(BOSCH) set	set	1	8500	1849	135		2890					3774	
581	Wire stripper(BOSCH)	each	1	350	129	22		119					1130	
582	Nuts/Bolts	q	1					15						
583	Nuts & Bolts for all type of sizes	each	1	50	94			33			165			
584	Washers	q	1					12						
585	Washers for all types of sizes	each	1	20	18	125					165			
586	Washer of mason screw Copper plated	Pack et	1		399			173						
587	Electrician Kits	q	1					2599						
588	MASTER ELECTRICIAN'S KIT(16 tools)(BOSCH)	set	1	35000	9999	55000		3700						
589	Spot light	q	1					49						
590	Spot light 60W(per light with can)	each	1	6500	2999	7000		2885						
591	Cable Crimping tools	q	1	44000				22					5633	

Page 24 of 28

592	Crimping machine large size(BOSCH) with die set	each	1	48000	3949	25000		3789					7400
593	RENNSTEIG D. C. crimping machine with die set	each	1					4750					
594	Aluminium ladder	q	1					3200					
595	a) Table ladder 4 feet	each	1	5500	7499	4590		3890			5350		3795
596	b) Table ladder 8 feet("A" shape)	each	1	6500	10949	6332		8390			7035		8300
597	c) Ladder 30 feet straight(10 steps 3 slides)	each	1	11500	39499			21900			32025		27400
598	d) Sliding ladder 30 feet (12 steps 3 slides)	each	1	12500	47499			23900			32025		29300
599	Electrical safety glove (Hand Glove)	q	1					690			225		
600	Leather glove	1 pair	1	350	149	225	250	133			150		
601	Pannel Heaters	q	1					3199					
602	Panel heater(8 panel)	each	1	6500	5499	3627	3950	3704					
603	Panel heater(6 panel)	each	1	6500		3500		3799					
604	Panel heater (12 panel)	each	1	9500	7499	4797	4900	5199			4750		
605	Wall mounting panel heater, 1000Watt	each	1	45000	39499			7890			12000		
606	Wall mounting panel heater, 1500Watt	each	1	50000	39499	45000		10490			12500		
607	Wall mounting panel heater, 3000Watt	each	1	55000	39499	50000		18900					
608	Wall mounting panel heater, 500Watt	each	1	40000	14999	35000		3000					
609	Rod Heaters	q	1					699					
610	1 sided rod heaters-2000W	each	1	3500	1149	950		3790					
611	4 sided rod heaters-2000W-KETAK make type	each	1	3500	2499	1706		3790					
612	Moveable heater-2000W rod heaters	each	1	7500	3499	3790		1890					
613	Shenil Heaters	q	1	9500				3790					12000
614	Shenil Heaters-3000W	each	1	9500	9949	11999		3790					12000
615	MS Saddle	q	1					3790					



Page 110

616	a) 20mm	Pack et	1		199	720	250	164			265			600
617	b) 25mm	Pack et	1		249	884	23	178			265			800
618	c) 32mm	Pack et	1			1008		188						
619	d) 40mm	Pack et	1					230						
620	e) 50mm	Pack et	1					30						
621	Gyezer Coil & jumper	pack et	1		599			247						
622	Gyezer coil 2000W( Venus)	each	1	1200	749		750	23						
623	Thermostat	each	1	950	494	495	57	445						
624	Gyezer jumpering wire	each	1	550	49		35	37						
625	Hack saw blade & Generators	q	1					34						
626	Hack saw single	pcs	1	10	12		3	9			10			20
627	Hack saw double	pcs	1	15			15	17			16			25
628	hack saw frame	pcs	1	450	199		240	7			150			180
629	Portable generator, 25 kA- ac (Haro Honda)	each	1	63000	249499	525000		2100					473000	
630	Paints	q	1				295	59						
631	Aluminium paint	ltr	1	350	479		330	272			310			490
632	Red oxide	ltr	1	190	289		35	180			186			
633	Brushes/Thinner	q	1					300						
634	Hard brush	each	1	100	79	65	85	37						
635	paint brush	each	1	75	79		80	67			175			
636	soft brush	each	1	90	79	70		27						
637	thinner	ltr	1	100	394		250	270			230			520
638	Sand Paper	q	1					9						25
639	Sand paper (soft)	each	1	10	9		5	4.4						25
640	Sand Paper (Hard)	each	1	10	9		5							25
641	Candle/Strip light bulb	q	1					59						
642	candle light bulb 9 watt (sets) 2-pin typescrew type	each	1	1200	199	115		5						

[illegible]

662	5/6 ways	each	1																
663	7/8 ways	each	1																
664	9/10 ways	each	1																
665	11/12 ways	each	1																
666	Allen Key	each	1	650															
667	4mm	set	1																
668	6mm	set	1																
669	8mm	set	1																
670	10mm	set	1																
671	12mm	set	1																
672	16mm	set	1																
673	18mm	set	1																
674	Cement	q	1													555			
675	Cement (PoP/OPP, etc)-25kg	bags	1	800	1279						534								
676	Cable Tie	q	1																
677	Nylon cable tie	pkt	1	650	179											380			
678	TV Cable	q	1																
679	Optical fibre-TV cable	mtr	1	50	149											35			45
680	Pencil/Pencil battery Charger	q	1																
681	Chargeable pencil battery	pair	1	650	499														
682	A.C chargeable-pencil battery charger/adaptor	set	1		2499														
683	Mike cable/probs (copper fibre)	q	1																
684	male-female connector probs with jack-connection, 10 mtr	each	1		5694														
685	male-female connector probs with jack-connection, 20 mtr	each	1		9649														
686	male-female connector probs with jack-connection, 30 mtr	each	1		17499														

[illegible]

Principal Livestock Officer  
District Administration  
Rinpung : Pero